



MAIN MATERIAL: COLD ROLLED SHEET/HOT ROLLED SHEET/ZINC ALLOY/GALVANIZED SHEET/STAINLESS STEEL DOOR SKIN



- ✓All-weather resistant paint
- ✓Comes with complete door-frame
- ✓Environment Friendly
- ✓Sound proof
- ✓Termite proof
- ✓Maintenance Free
- ✓Rust/Dust proof
- ✓Noise Cancellation
- ✓Fire resistant
- ✓Multiple locking points




**FactoryDirect**

Main Material:	Galvanized Steel
Infilling Material:	Honeycomb material
Opening direction:	Left or right; inside or outside open
Opening degree:	110-degree, 180 degree
Application:	Entrance, Bedroom, Bathroom
Door Height:	2100 / 2400 mm
Door Width:	760 / 960 / 1050 / 1200 / 1500 mm
Door Thickness:	50 / 70 / 100 mm
Door Frame Thickness:	1.2/1.5/2.5 mm
Door Leaf Thickness:	0.8/1.0/1.5 mm
Hinge thickness:	3.0/3.4/4.6 mm
Accessories:	Quality hinges, Reinforced plates, 4 multi-point locks,
Chaukhat Included	Yes




**FactoryDirect**



**FactoryDirect**



LUXURY SERIES



Product Code	EN-101
Main Material	Galvanized Steel
Opening direction	Left or right; inside or outside open
Opening degree	110 degree, 180 degree
No of locks	9
Application	Entrance Security Door, Villa Door, Banquet Halls, Conference Room, Marriage Garden
Door Size	2100x1050/2400x1050/2400x1800
Door Thickness	100 mm
Surface Finish	Powder coating fine carving
Advantages	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
Steel Chaukhat	Included with the door
Accessories	Quality hinges, Reinforced plates, Specialty multi-point locking system, Elegant handle, Non duplicable keys
Infilling Material	Honeycomb

LUXURY SERIES


Entrila



Product Code	EN-201
Main Material	Galvanized Steel
Opening direction	Left or right; inside or outside open
Opening degree	110 degree, 180 degree
No of locks	9
Application	Entrance Security Door, Villa Door, Banquet Halls, Conference Room, Marriage Garden
Door Size	2100x960 / 2400x1050 / 2400x1200 / 2400x1800
Door Thickness	100 mm
Surface Finish	Powder coating
Advantages	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
Steel Chaukhat	Included with the door
Accessories	Quality hinges, Reinforced plates, Specialty multi-point locking system, Elegant handle, Non duplicable keys
Infilling Material	Honeycomb

LUXURY SERIES

Entrila



Product Code	EN-301
Main Material	Galvanized Steel
Opening direction	Left or right; inside or outside open
Opening degree	110 degree, 180 degree
No of locks	9
Application	Entrance Security Door, Villa Door, Banquet Halls, Conference Room, Marriage Garden
Door Size	2100x1200/2400x1200
Door Thickness	100 mm
Surface Finish	Powder coating fine carving
Advantages	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
Steel Chaukhat	Included with the door
Accessories	Quality hinges, Reinforced plates, Specialty multi-point locking system, Elegant handle, Non duplicable keys
Infilling Material	Honeycomb

LUXURY SERIES



Product Code	EN-401
Main Material	Galvanized Steel
Opening direction	Left or right; inside or outside open
Opening degree	110 degree, 180 degree
No of locks	9
Application	Entrance Security Door, Villa Door, Banquet Halls, Conference Room, Marriage Garden
Door Size	2100x1050 / 2400x1050 / 2400x1800
Door Thickness	100 mm
Surface Finish	Powder coating fine carving
Advantages	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
Steel Chaukhat	Included with the door
Accessories	Quality hinges, Reinforced plates, Specialty multi-point locking system, Elegant handle, Non duplicable keys
Infilling Material	Honeycomb

LUXURY SERIES

Entrila



<b>Product Code</b>	<b>EN-501</b>
<b>Main Material</b>	Galvanized Steel
<b>Opening direction</b>	Left or right; inside or outside open
<b>Opening degree</b>	110 degree, 180 degree
<b>No of locks</b>	9
<b>Application</b>	Entrance Security Door, Villa Door, Banquet Halls, Conference Room, Marriage Garden
<b>Door Size</b>	2400x1800
<b>Door Thickness</b>	100 mm
<b>Surface Finish</b>	Powder coating fine carving
<b>Advantages</b>	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
<b>Steel Chaukhat</b>	Included with the door
<b>Accessories</b>	Quality hinges, Reinforced plates, Specialty multi-point locking system, Elegant handle, Non duplicable keys
<b>Infilling Material</b>	Honeycomb

LUXURY SERIES



Product Code	EN-601
Main Material	Galvanized Steel and Glass
Opening direction	Left or right; inside or outside open
Opening degree	110 degree, 180 degree
No of locks	9
Application	Entrance Security Door, Villa Door
Door Size	(Available as per customized size-On Order only)
Door Thickness	100 mm
Surface Finish	Powder coating and glass
Advantages	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
Steel Chaukhat	Included with the door
Accessories	Quality hinges, Reinforced plates, Specialty multi-point locking system, Elegant handle, Non duplicable keys
Infilling Material	Honeycomb


LUXURY SERIES



Product Code	EN-701
Main Material	Galvanized Steel and Glass
Opening direction	Left or right; inside or outside open
Opening degree	110 degree, 180 degree
No of locks	9
Application	Entrance Security Door, Villa Door
Door Size	(Available as per customized size-On Order only)
Door Thickness	100 mm
Surface Finish	Powder coating and glass
Advantages	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
Steel Chaukhat	Included with the door
Accessories	Quality hinges, Reinforced plates, Specialty multi-point locking system, Elegant handle, Non duplicable keys
Infilling Material	Honeycomb

LUXURY SERIES

Entrila



<b>Product Code</b>	<b>EN-801</b>
<b>Main Material</b>	Galvanized Steel
<b>Opening direction</b>	Left or right; inside or outside open
<b>Opening degree</b>	110 degree, 180 degree
<b>No of locks</b>	15
<b>Application</b>	Entrance door, Jewellery Shops, Banks
<b>Door Size</b>	2100x1050/2400x1050/2400x1800
<b>Door Thickness</b>	100 mm
<b>Surface Finish</b>	Powder Coating
<b>Advantages</b>	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
<b>Steel Chaukhat</b>	Included with the door
<b>Accessories</b>	Quality hinges, Reinforced plates, Specialty digital locking system, Elegant handle, Non duplicable keys
<b>Infilling Material</b>	Honeycomb

LUXURY SERIES


Entrila



Product Code	EN-901
Main Material	Galvanized Steel
Opening direction	Left or right; inside or outside open
Opening degree	110 degree, 180 degree
No of locks	9
Application	Entrance Door, Villa Door, Jewellery Shops, Banks
Door Size	2100x1050/2400x1050
Door Thickness	100 mm
Surface Finish	Powder coating fine carving
Advantages	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
Steel Chaukhat	Included with the door
Accessories	Quality hinges, Reinforced plates, Specialty digital locking system, Elegant handle, Non duplicable keys
Infilling Material	Honeycomb

**LUXURY SERIES**

**Entrila**



<b>Product Code</b>	<b>EN-1001</b>
<b>Main Material</b>	Galvanized Steel
<b>Opening direction</b>	Left or right; inside or outside open
<b>Opening degree</b>	110 degree, 180 degree
<b>No of locks</b>	15
<b>Application</b>	Entrance Door, Villa Door, Jewellery Shops, Banks
<b>Door Size</b>	2100x960
<b>Door Thickness</b>	100 mm
<b>Surface Finish</b>	Powder coating fine carving
<b>Advantages</b>	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
<b>Steel Chaukhat</b>	Included with the door
<b>Accessories</b>	Quality hinges, Reinforced plates, Specialty digital locking system, Elegant handle, Non duplicable keys
<b>Infilling Material</b>	Honeycomb

LUXURY SERIES


Entrila



<b>Product Code</b>	<b>EN-1101</b>
<b>Main Material</b>	Galvanized Steel and Glass
<b>Opening direction</b>	Left or right; inside or outside open
<b>Opening degree</b>	110 degree, 180 degree
<b>No of locks</b>	9
<b>Application</b>	Villa Door, Entrance door
<b>Door Size</b>	(Available as per customized size-On Order only)
<b>Door Thickness</b>	100 mm
<b>Surface Finish</b>	Powder Coating and glass
<b>Advantages</b>	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
<b>Steel Chaukhat</b>	Included with the door
<b>Accessories</b>	Quality hinges, Reinforced plates, Specialty multi-point locking system, Elegant handle, Non duplicable keys
<b>Infilling Material</b>	Honeycomb

LUXURY SERIES


Entrila



Product Code	EN-1201
Main Material	Galvanized Steel
Opening direction	Left or right; inside or outside open
Opening degree	110 degree, 180 degree
No of locks	15
Application	Entrance Security Door, Villa Door, Banquet Halls, Conference Room, Marriage Garden
Door Size	2400x1800/2400x1500
Door Thickness	100 mm
Surface Finish	Powder coating
Advantages	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
Steel Chaukhat	Included with the door
Accessories	Quality hinges, Reinforced plates, Specialty digital locking system, Elegant handle, Non duplicable keys
Infilling Material	Honeycomb

LUXURY SERIES

Entrila



Product Code	EN-1301
Main Material	Galvanized Steel
Opening direction	Left or right; inside or outside open
Opening degree	110 degree, 180 degree
No of locks	9
Application	Entrance Security Door, Villa Door, Banquet Halls, Conference Room, Marriage Garden
Door Size	2100x1050/2400x1050/2400x1200/2400x1800
Door Thickness	100 mm
Surface Finish	Powder coating
Advantages	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
Steel Chaukhat	Included with the door
Accessories	Quality hinges, Reinforced plates, Specialty multi-point locking system, Elegant handle, Non duplicable keys
Infilling Material	Honeycomb

**ECONOMY SERIES**



<b>Product Code</b>	<b>EN-103</b>
<b>Main Material</b>	Aluminium Frame & Double Side Toughened Glass
<b>Opening direction</b>	Left or right; inside or outside open
<b>Opening degree</b>	110 degree, 180 degree
<b>No of locks</b>	1
<b>Application</b>	Bathroom, Bedroom, Kitchen, Home office, Living Room
<b>Door Size</b>	2100x750/2400x750
<b>Door Thickness</b>	40 mm
<b>Surface Finish</b>	Aluminum and Glass
<b>Advantages</b>	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
<b>Steel Chaukhat</b>	Included with the door
<b>Accessories</b>	Quality hinges, Reinforced plates, Elegant handle
<b>Infilling Material</b>	Honeycomb

**ECONOMY SERIES**



<b>Product Code</b>	<b>EN-203</b>
<b>Main Material</b>	Aluminium Frame & Double Side Toughened Glass
<b>Opening direction</b>	Left or right; inside or outside open
<b>Opening degree</b>	110 degree, 180 degree
<b>No of locks</b>	1
<b>Application</b>	Bathroom, Bedroom, Kitchen, Home office, Living Room
<b>Door Size</b>	2100x750/2400x750
<b>Door Thickness</b>	40 mm
<b>Surface Finish</b>	Aluminum and Glass
<b>Advantages</b>	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
<b>Steel Chaukhat</b>	Included with the door
<b>Accessories</b>	Quality hinges, Reinforced plates, Specialty multi-point locking system, Elegant handle, Non duplicable keys
<b>Infilling Material</b>	Honeycomb

**ECONOMY SERIES**



<b>Product Code</b>	<b>EN-303</b>
<b>Main Material</b>	Aluminium Frame & Double Side Toughened Glass
<b>Opening direction</b>	Left or right; inside or outside open
<b>Opening degree</b>	110 degree, 180 degree
<b>No of locks</b>	1
<b>Application</b>	Bathroom, Bedroom, Kitchen, Home office, Living Room
<b>Door Size</b>	2100x750/2400x750
<b>Door Thickness</b>	40 mm
<b>Surface Finish</b>	Aluminum and Glass
<b>Advantages</b>	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
<b>Steel Chaukhat</b>	Included with the door
<b>Accessories</b>	Quality hinges, Reinforced plates, Specialty multi-point locking system, Elegant handle, Non duplicable keys
<b>Infilling Material</b>	Honeycomb

**ECONOMY SERIES**



<b>Product Code</b>	<b>EN-403</b>
<b>Main Material</b>	Aluminium Frame & Double Side Toughened Glass
<b>Opening direction</b>	Left or right; inside or outside open
<b>Opening degree</b>	110 degree, 180 degree
<b>No of locks</b>	1
<b>Application</b>	Bathroom, Bedroom, Kitchen, Home office, Living Room
<b>Door Size</b>	2100x750/2400x750
<b>Door Thickness</b>	40 mm
<b>Surface Finish</b>	Aluminum and Glass
<b>Advantages</b>	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
<b>Steel Chaukhat</b>	Included with the door
<b>Accessories</b>	Quality hinges, Reinforced plates, Specialty multi-point locking system, Elegant handle, Non duplicable keys
<b>Infilling Material</b>	Honeycomb

**ECONOMY SERIES**




<b>Product Code</b>	<b>EN-503</b>
<b>Main Material</b>	Aluminium Frame & Double Side Toughened Glass
<b>Opening direction</b>	Left or right; inside or outside open
<b>Opening degree</b>	110 degree, 180 degree
<b>No of locks</b>	1
<b>Application</b>	Bathroom, Bedroom, Kitchen, Home office, Living Room
<b>Door Size</b>	2100x750/2400x750
<b>Door Thickness</b>	40 mm
<b>Surface Finish</b>	Powder Coating fine carving
<b>Advantages</b>	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
<b>Steel Chaukhat</b>	Included with the door
<b>Accessories</b>	Quality hinges, Reinforced plates, Specialty multi-point locking system, Elegant handle, Non duplicable keys
<b>Infilling Material</b>	Honeycomb

**ECONOMY SERIES**




<b>Product Code</b>	<b>EN-603</b>
<b>Main Material</b>	Galvanized Steel
<b>Opening direction</b>	Left or right; inside or outside open
<b>Opening degree</b>	110 degree, 180 degree
<b>No of locks</b>	9
<b>Application</b>	Entrance Security Door, Villa Door, Banquet Halls, Conference Room, Marriage Garden
<b>Door Size</b>	2100x960/2400x960
<b>Door Thickness</b>	100 mm
<b>Surface Finish</b>	Powder coating fine carving
<b>Advantages</b>	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
<b>Steel Chaukhat</b>	Included with the door
<b>Accessories</b>	Quality hinges, Reinforced plates, Specialty multi-point locking system, Elegant handle, Non duplicable keys
<b>Infilling Material</b>	Honeycomb

**ECONOMY SERIES**




<b>Product Code</b>	<b>EN-703</b>
<b>Main Material</b>	Galvanized Steel
<b>Opening direction</b>	Left or right; inside or outside open
<b>Opening degree</b>	110 degree, 180 degree
<b>No of locks</b>	9
<b>Application</b>	Entrance Security Door, Villa Door,
<b>Door Size</b>	2100x960 / 2400x1050 / 2400x1200 / 2400x1800
<b>Door Thickness</b>	100 mm
<b>Surface Finish</b>	Powder Coating fine carving
<b>Advantages</b>	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
<b>Steel Chaukhat</b>	Included with the door
<b>Accessories</b>	Quality hinges, Reinforced plates, Specialty multi-point locking system, Elegant handle, Non duplicable keys
<b>Infilling Material</b>	Honeycomb

**ECONOMY SERIES**



<b>Product Code</b>	<b>EN-803</b>
<b>Main Material</b>	Entrance Security Door, Villa Door, Steel
<b>Opening direction</b>	Left or right; inside or outside open
<b>Opening degree</b>	110 degree, 180 degree
<b>No of locks</b>	4
<b>Application</b>	Entrance Security Door, Villa Door, Banquet Halls, Conference Room, Marriage Garden
<b>Door Size</b>	2100x960/2400x960
<b>Door Thickness</b>	50 mm
<b>Surface Finish</b>	Powder coating fine carving
<b>Advantages</b>	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
<b>Steel Chaukhat</b>	Included with the door
<b>Accessories</b>	Quality hinges, Reinforced plates, Specialty multi-point locking system, Elegant handle, Non duplicable keys
<b>Infilling Material</b>	Honeycomb

**ECONOMY SERIES**



<b>Product Code</b>	<b>EN-1001</b>
<b>Main Material</b>	Galvanized Steel
<b>Opening direction</b>	Left or right; inside or outside open
<b>Opening degree</b>	110 degree, 180 degree
<b>No of locks</b>	4
<b>Application</b>	Entrance Security Door, Bedroom
<b>Door Size</b>	2100x960/2400x960/2100x1050/2400x1050/2100x750/2400x750
<b>Door Thickness</b>	70 mm
<b>Surface Finish</b>	Wooden finish
<b>Advantages</b>	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
<b>Steel Chaukhat</b>	Included with the door
<b>Accessories</b>	Quality hinges, Reinforced plates, Specialty multi-point locking system, Elegant handle, Non duplicable keys
<b>Infilling Material</b>	Honeycomb

**ECONOMY SERIES**



<b>Product Code</b>	<b>EN-1002</b>
<b>Main Material</b>	Galvanized Steel
<b>Opening direction</b>	Left or right; inside or outside open
<b>Opening degree</b>	110 degree, 180 degree
<b>No of locks</b>	4
<b>Application</b>	Entrance Security Door, Bedroom
<b>Door Size</b>	2100x960/2400x960/2100x1050/2400x1050 2100x750/2400x750
<b>Door Thickness</b>	70 mm
<b>Surface Finish</b>	Wooden finish
<b>Advantages</b>	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
<b>Steel Chaukhat</b>	Included with the door
<b>Accessories</b>	Quality hinges, Reinforced plates, Specialty multi-point locking system, Elegant handle, Non duplicable keys
<b>Infilling Material</b>	Honeycomb

**ECONOMY SERIES**



<b>Product Code</b>	<b>EN-1003</b>
<b>Main Material</b>	Galvanized Steel
<b>Opening direction</b>	Left or right; inside or outside open
<b>Opening degree</b>	110 degree, 180 degree
<b>No of locks</b>	4
<b>Application</b>	Entrance Security Door, Bedroom
<b>Door Size</b>	2100x960/2400x960/2100x1050/2400x1050/2100x750/2400x750
<b>Door Thickness</b>	70 mm
<b>Surface Finish</b>	Wooden finish
<b>Advantages</b>	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
<b>Steel Chaukhat</b>	Included with the door
<b>Accessories</b>	Quality hinges, Reinforced plates, Specialty multi-point locking system, Elegant handle, Non duplicable keys
<b>Infilling Material</b>	Honeycomb

**ECONOMY SERIES**

**Entrila**



<b>Product Code</b>	<b>EN-1004</b>
<b>Main Material</b>	Galvanized Steel
<b>Opening direction</b>	Left or right; inside or outside open
<b>Opening degree</b>	110 degree, 180 degree
<b>No of locks</b>	4
<b>Application</b>	Entrance Security Door, Bedroom
<b>Door Size</b>	2100x960/2400x960/2100x1050/2400x1050/2100x750/2400x750
<b>Door Thickness</b>	70 mm
<b>Surface Finish</b>	Wooden finish
<b>Advantages</b>	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
<b>Steel Chaukhat</b>	Included with the door
<b>Accessories</b>	Quality hinges, Reinforced plates, Specialty multi-point locking system, Elegant handle, Non duplicable keys
<b>Infilling Material</b>	Honeycomb


ECONOMY SERIES

Entrila



<b>Product Code</b>	<b>EN-1005</b>
<b>Main Material</b>	Galvanized Steel
<b>Opening direction</b>	Left or right; inside or outside open
<b>Opening degree</b>	110 degree, 180 degree
<b>No of locks</b>	4
<b>Application</b>	Entrance Security Door, Bedroom
<b>Door Size</b>	2100x960/2400x960/2100x1050/2400x1050/2100x750/2400x750
<b>Door Thickness</b>	70 mm
<b>Surface Finish</b>	Wooden finish
<b>Advantages</b>	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
<b>Steel Chaukhat</b>	Included with the door
<b>Accessories</b>	Quality hinges, Reinforced plates, Specialty multi-point locking system, Elegant handle, Non duplicable keys
<b>Infilling Material</b>	Honeycomb

**ECONOMY SERIES**




<b>Product Code</b>	<b>EN-1006</b>
<b>Main Material</b>	Galvanized Steel
<b>Opening direction</b>	Left or right; inside or outside open
<b>Opening degree</b>	110 degree, 180 degree
<b>No of locks</b>	4
<b>Application</b>	Entrance Security Door, Bedroom
<b>Door Size</b>	2100x960/2400x960/2100x1050 /2400x1050/ 2100x750/2400x750
<b>Door Thickness</b>	70 mm
<b>Surface Finish</b>	Wooden finish
<b>Advantages</b>	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
<b>Steel Chaukhat</b>	Included with the door
<b>Accessories</b>	Quality hinges, Reinforced plates, Specialty multi-point locking system, Elegant handle, Non duplicable keys
<b>Infilling Material</b>	Honeycomb

**ECONOMY SERIES**



<b>Product Code</b>	<b>EN-1007</b>
<b>Main Material</b>	Galvanized Steel
<b>Opening direction</b>	Left or right; inside or outside open
<b>Opening degree</b>	110 degree, 180 degree
<b>No of locks</b>	1
<b>Application</b>	Entrance Security Door, Bedroom
<b>Door Size</b>	2100x960
<b>Door Thickness</b>	50 mm
<b>Surface Finish</b>	Powder Coating
<b>Advantages</b>	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
<b>Steel Chaukhat</b>	Included with the door
<b>Accessories</b>	Quality hinges, Reinforced plates, Specialty multi-point locking system, Elegant handle, Non duplicable keys
<b>Infilling Material</b>	Honeycomb

**ECONOMY SERIES**



<b>Product Code</b>	<b>EN-1008</b>
<b>Main Material</b>	Galvanized Steel
<b>Opening direction</b>	Left or right; inside or outside open
<b>Opening degree</b>	110 degree, 180 degree
<b>No of locks</b>	9
<b>Application</b>	Entrance Security Door, Villa Door, Banquet Halls, Conference Room, Marriage Garden
<b>Door Size</b>	2100x1050/2400x1050
<b>Door Thickness</b>	100 mm
<b>Surface Finish</b>	Powder coating
<b>Advantages</b>	Water Resistant, Rust free, Termite Resistant, Noise Cancellation, Weather proof, UV Protected,
<b>Steel Chaukhat</b>	Included with the door
<b>Accessories</b>	Quality hinges, Reinforced plates, Specialty multi-point locking system, Elegant handle, Non duplicable keys
<b>Infilling Material</b>	Honeycomb

